



Eye self-locking hook with ball bearing swivel, grade 100

Product information

The hook locks automatically when lifting starts and rotates easily also with full load.

Material: Steel

Marking: CE-marked

Temperature range: -40 - (+)200°C / 400°C = WLL 75%

Finish: Painted, blue

Warning: Not to be heat-treated

Safety factor: 4:1

Grade: 10

Part code	WLL ton	For chain Ø mm	A,	B,	C,	D,	E,	N mm	H,	K,	L	W mm	Weight kg
VAKAL1006KL	1.4	6	11	13	37	27	30	15	32	163	196	70	0.67
VAKAL1078KL	2.5	8	13	15	41	35	40	20	39	202	243	90	1.21
VAKAL1010KL	4	10	15	17	48	45	48	26	48	244	289	108	2.2
VAKAL1013KL	6.7	13	17	19	55	52	63	32	57	292	351	138	4.4
VAKAL1016KL	10	16	21	26	62	62	75	38	62	346	422	170	7.48
VAKAL1020KL	16	20	26	28	76	76	80	50	72	396	487	191	13.75
VAKAL1022KL	19	22	33	33	97	97	95	52	97	465	563	208	18.81
VAKAL1026KL	26.5	26	42	42	123	123	107	60	119	565	688	253	31.4

Technical data

SPARE PARTS

Spare part (product code)	Description	Suitable for ABT hook (product code)
VAKVO6S	Spare part set 6 mm Incl. trigger, spring, pin	VAKAL1006KL
VAKVO78S	Spare part set 7/8 mm Incl. trigger, spring, pin	VAKAL1078KL
VAKVO10S	Spare part set 10 mm Incl. trigger, spring, pin	VAKAL1010KL
VAKVO13S	Spare part set 13 mm Incl. trigger, spring, pin	VAKAL1013KL
VAKVO16S	Spare part set 16 mm Incl. trigger, spring, pin	VAKAL1016KL
VAKVO20S	Spare part set 20 mm Incl. trigger, spring, pin	VAKAL1020KL
VAKVO22S	Spare part set 22 mm Incl. trigger, spring, pin	VAKAL1022KL
VAKVO26S	Spare part set 26 mm Incl. trigger, spring, pin	VAKAL1026KL

Warning: If you notice that the design of the spare part trigger differs from the original, please contact the supplier - do not try to force it into place, as this may compromise the safe operation of the hook